

SL NO	SPECIFICATION	UNIT	QNTY
1	Providing and fixing Burgundy colour Aluminium Composite Panels (ACP) of A2 FR Grade exterior grade for cladding near entrance of approved make for external wall / column / canopy cladding in combination of solid / Metallic colours, including all necessary frame work and complete weather sealing. The composite panel should consist of 3mm thermoplastic core of LDPE sandwiched between 2 skins of 0.5mm thick aluminium sheet (alloy designation 310S) making a total panel thickness of 4mm. The surface will be furnished with Lumiflon based fluorcarbon coating on top sides and service coating on reverse side. Coatings shall conform to specifications of ECCA / AAMA and conforming to the mechanical properties of panel as per detailed technical specifications. the system shall be fixed using GI brackets and stainless steel bolts and nuts complete with spring washers and cap nuts and all other necessary accessories. The bracket support shall be designed as per manufactures specification and shall withstand a wind pressure of 150 kg / sqm. all hardware shall corrosion resistant frame out of anodised aluminium member. Rates to further be inclusive of all materials , related labour , material cost , wastage , transportation , scaffolding etc complete.	Sqm	80.00




അങ്കമാലി നഗരസഭ
പൊതുമාර്ഗക്കറ്റ്



**KERALA
BANK**
Kerala State Co-operative Bank
A SCHEDULED BANK



**KERALA
BANK**
Kerala State Co-operative Bank
A SCHEDULED BANK





**KERALA
BANK**

Kerala State Co-operative Bank

KERALA BANK
KERALA STATE CO-OPERATIVE BANK,
REGIONAL OFFICE, THRISSUR- 22, PHONE:- 2325700.
Web Site: www.keralabank.co.in
E-mail ID :- tsrro@keralabank.co.in

TENDER NOTICE

Tenders are invited from technically competent firms for the erection of advertisement boards displaying the Bank's advertisements as per the following specifications.

Sl. No.	Size & Dimensions	Specifications	Locations
1	21.5 Feet Height x (2.5 Feet each 4 side pillar) 30 Feet Width (3 Feet each 4 side Beam)	1. - <u>Aluminium Composite Panel (ACP) Cladding:-</u> Providing and fixing Burgundy -coloured Aluminium Composite Panels (ACP) of A2 FR Grade, exterior quality 2. <u>Acrylic 3D letters with LED illumination:-</u> Providing and fixing Acrylic 3D letters with LED illumination, including Multi wood tray for LED installation and SMPS, as per approved design.	Angamaly Market Road Municipal Market Emmanuel Arch

Detailed information regarding the tender, including specifications and terms & conditions, is available on the Bank's official website (www.keralabank.co.in). Interested candidates must complete the Tender/auction registration process before 4.00pm on 25/09/2025 at Regional Office, Thrissur. The Bank reserves the right to accept or reject any or all bids without assigning any reason.

Thrissur,
09/09/2025.

(Sd/-)
General Manager,
Regional Office, Thrissur.

TENDER NOTICE

Tenders are invited from technically competent firms for the erection of advertisement boards displaying the Bank's advertisements as per the following specifications.

Sl. No.	Size & Dimensions	Specifications	Locations
1	21.5 Feet Height x (2.5 Feet each 4 side pillar) 30 Feet Width (3 Feet each 4 side Beam)	Item 1 - Aluminium Composite Panel (ACP) Cladding Providing and fixing Burgundy -coloured Aluminium Composite Panels (ACP) of A2 FR Grade, exterior quality, for cladding near the entrance of the approved building. The Cladding shall be applied on the external wall, columns, and canopy in a combination of solid and metallic colours, including all required frame work and complete weather sealing. The ACP shall consist of a 3mm thermoplastic LDPE core, sandwiched between two skins of 0.5mm thick aluminium sheets (Alloy designation 310S), making the total panel thickness 4mm. The Surface shall be finished with Lumiflon - based fluorocarbon coating on the top side and service coating on the reverse side. Coatings shall conform to ECCA/ AAMA specifications and meet the required mechanical properties as per detailed technical standards. The system shall be installed using GI brackets and stainless steel bolts and nuts, complete with spring washers, cap nuts, and all other necessary accessories. The bracket support shall be designed as per manufacturer specifications and capable of withstanding wind pressure up to 150kg/sqm. All hardware shall be made of corrosion-resistant, anodized aluminum members. The quoted rate shall include all materials, related labour, material cost, wastage, transportation, scaffolding and all other requirements for a complete installation. Item - 2 - Acrylic 3D letters with LED illumination providing and fixing Acrylic 3D letters with LED illumination, including Multi wood tray for LED installation and SMPS, as per approved design. The rate shall include all materials, labour, accessories, transportation, and complete installation.	Angamaly Market Road Municipal Market Emmanuel Arch

Detailed information regarding the tender, including specifications and terms & conditions, is available on the Bank's official website (www.keralabank.co.in). Interested candidates must complete the Tender/ auction registration process before 4.00pm on 25/09/2025 at Regional Office, Thrissur. The Bank reserves the right to accept or reject any or all bids without assigning any reason.

Thrissur,
09/09/2025.

(Sd/-)
General Manager,
Regional Office, Thrissur.